Alulux

4” LOUVER SYSTEMS

Simplest and fastest installation on the market

Alulux Bahamas has this system in our Nassau production facility stock, and can be delivered to our clients within a few weeks.

Aluminum quality

All our aluminum parts are chromate washed, prior powder coating to warranty many corrosion free years.

Customizable

The color variety allows the designer to create a unique shutter or louver for each application.

LET'S MEET

4" LOUVER SYSTEMS

Alulux Bahamas 4" Architectural Louvers are chromate washed and powder coated to make sure they can handle extreme ocean front conditions and will last a lifetime.
This mechanical louver system can be made in any size, is very affordable compared to wooden louvers, with the advantage of durability and expected lifespan and cost of maintenance.

Applications

Architectural decorative 'colonial' louvers, pump and generator rooms, garden and tool sheds.

Production

Alulux Bahamas has this system in our Nassau production facility stock, and can be delivered to our clients within a few weeks.

Installation Hardware

Only stainless steel fasteners of the highest quality for strength and durability.

Why choose Alulux?

- All our aluminum parts are chromate washed, prior powder coating to warranty many corrosion free years
- Sunlight blocking
- Engineered for long-lasting protection
- Interlocking technology to withstand high wind speed
- The color variety allows the designer to create a unique shutter or louver for each application.
- Architectural grade powder coating finish

Contact us today: 557-4535

Photo: Bahama shutters

Photo: Architectural shutters

Parts and specifications



Header and Sill

- Standard available in RAL 9010 White or custom painted in any color.

Jamb/Mullion

- Standard available in RAL 9010 White or custom painted in any color.







Mullion insert

- Standard available in RAL 9010 White or custom painted in any color.

4” Airfoil louver

- Standard available in RAL 9010 White or custom painted in any color.



Assembly Manual

End result louver

Step 1

Cut the louvers to the correct size.



Step 2

Slide

Step 3

Cut the z-blades to the right size.



Step 4

Click the z-blades into the left and right inserts.



Step 5

Use a tool to bend the ends of the Z-blades to lock them into the inserts.

Photo: Architectural louvers

Step 6

Screw

Now the louver assembly is ready for installing the hardware.



Step 7

Install the hinge on the right and left side of the shutter.

Look book

Photo: Architectural louvers

Alulux

Photo: Architectural louvers

Photo: Architectural louvers

Photo: Architectural louvers

Alulux
Photo: Bahama shutters

Aluux

Top Quality Shutters, Louvers & Railings

Feel free to reach out for any questions or service and repair calls

2B Sabal Close
Airport Industrial Park
Nassau Bahamas
P.O. Box : CB 13592

E-mail: aluluxbahamas@gmail.com
Phone: +1 242 557-4535